

# Material Safety Data Sheet



Zep Inc.  
1310 Seaboard Industrial Blvd.  
Atlanta, GA 30318  
1-877-793-7776

## Section 1. Chemical Product and Company Identification

**Product name** ZEP QUAT DISINFECTANT AND DEODORIZER  
**Product use** Cleaner. Disinfectant. Deodorizer  
**Product code** R025  
**Date of issue** 08/13/08 **Supersedes**

This product is a registered pesticide. EPA ID No. 1839-84-1270

### Emergency Telephone Numbers

**For MSDS Information:**  
Compliance Services 1-877-793-7776

**For Medical Emergency**  
INFOTRAC: (877) 541-2016 Toll Free - All Calls Recorded

**For Transportation Emergency**  
CHEMTREC: (800) 424-9300 - All Calls Recorded  
In the District of Columbia (202) 483-7616

### Prepared By

Compliance Services  
1420 Seaboard Industrial Blvd.  
Atlanta, GA 30318

## Section 2. Hazards Identification

### Emergency overview


**WARNING**

CAUSES EYE AND SKIN IRRITATION. HARMFUL IF SWALLOWED.

CONTENTS UNDER PRESSURE.

**NOTE:** MSDS data pertains to the product as delivered in the original shipping container(s). Risk of adverse effects are lessened by following all prescribed safety precautions, including the use of proper personal protective equipment.

\*Hazard Determination System (HDS): Health, Flammability, Reactivity



### Acute Effects

### Routes of Entry

Dermal contact. Eye contact. Inhalation.

**Eyes** Causes eye irritation. Inflammation of the eye is characterized by redness, watering and itching.

**Skin** Causes skin irritation. Skin inflammation is characterized by itching, scaling, or reddening.

**Inhalation** Avoid breathing vapors, spray or mists. Over-exposure by inhalation may cause respiratory irritation.

**Ingestion** Harmful if swallowed. Can cause gastrointestinal disturbances.

### Chronic effects

Contains material which may cause damage to the following organs: blood, kidneys, liver.

**Additional Information:** See Toxicological Information (Section 11)

## Section 3. Composition/Information on Ingredients

### Name of Hazardous Ingredients

Name of Hazardous Ingredients	CAS number	% by Weight
HYDROCARBON PROPELLANT; blend of propane & isobutane	75-28-5; 74-98-6	1 - 10
DIETHYLENE GLYCOL MONOBUTYL ETHER; 2-(2-butoxyethoxy)-ethanol; butyl carbitol	112-34-5	1 - 5
TETRASODIUM ETHYLENEDIAMINE TETRAACETATE; ethylenediamine tetraacetic acid; tetrasodium salt	64-02-8	1 - 5
QUATERNARY AMMONIUM CHLORIDES; blend of alkyl dimethylbenzyl ammonium chlorides, alkyl dimethyl ethylbenzyl ammonium chlorides, and ethanol	68391-01-5; 68956-179-6; 64-17-5	1

## Section 4. First Aid Measures

**Eye Contact** Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention immediately.

**Skin Contact** Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse. Get medical attention if irritation develops.

**Inhalation** Move exposed person to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**Ingestion** Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention immediately.

**Section 5. Fire Fighting Measures**

National Fire Protection Association (U.S.A.)



<b>Flash Point</b>	Not applicable
<b>Flammable Limits</b>	Not applicable
<b>Flammability</b>	Non-flammable. (CSMA Method)
<b>Fire hazard</b>	CONTENTS UNDER PRESSURE. Container explosion may occur under fire conditions or when heated. Watch for accumulation in low confined areas. May emit toxic fumes under fire conditions.
<b>Fire-Fighting Procedures</b>	Use dry chemical, CO <sub>2</sub> , water spray (fog) or foam. Fire-fighters should wear appropriate protective equipment.

**Section 6. Accidental Release Measures**

<b>Spill Clean up</b>	Absorb with an inert material and place in an appropriate waste disposal container. Large spills are unlikely due to packaging.
-----------------------	---

**Section 7. Handling and Storage**

<b>Handling</b>	Put on appropriate personal protective equipment (see section 8). Avoid contact with eyes, skin and clothing. Avoid breathing vapors, spray or mists. Use only with adequate ventilation. Do not ingest. Wash thoroughly after handling. Apply this product only as specified on the label.
<b>Storage</b>	CONTENTS UNDER PRESSURE. Do not puncture or incinerate container. Keep container in a cool, well-ventilated area. Store and use away from heat, sparks, open flame or any other ignition source. Store below 120°F (49°C). Keep away from food, drink and animal feeding stuffs. Keep out of the reach of children.

**Section 8. Exposure Controls/Personal Protection****Product name**

HYDROCARBON PROPELLANT; blend of propane & isobutane  
DIETHYLENE GLYCOL MONOBUTYL ETHER; 2-(2-butoxyethoxy)-ethanol; butyl carbitol

**Exposure limits**

ACGIH TLV / OSHA PEL (United States). Notes: Propane  
TWA: 1000 ppm 8 hour(s).  
Manufacturer (United States).  
TWA: 35 ppm 8 hour(s).

**Personal Protective Equipment (PPE)**

<b>Eyes</b>	Safety glasses.
<b>Body</b>	Recommended: Nitrile gloves. Neoprene gloves. Rubber gloves.
<b>Respiratory</b>	Use with adequate ventilation. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective occupational exposure limits. Wear appropriate respirator when ventilation is inadequate.

**Section 9. Physical and Chemical Properties**

<b>Physical State</b>	Liquid. [Aerosol.]	<b>Color</b>	Clear. Colorless.
<b>pH</b>	11.0 - 12.0	<b>Odor</b>	Pleasant. Lemon-like.
<b>Boiling Point</b>	100°C (212°F)	<b>Vapor Pressure</b>	0.0021 kPa (0.016 mm Hg)
<b>Specific Gravity</b>	1.013	<b>Vapor Density</b>	Not determined.
<b>Solubility</b>	Soluble in the following materials: cold water and hot water.	<b>Evaporation Rate</b>	<1 (Water = 1)
		<b>VOC (Consumer)</b>	50.76 (g/l). 0.42 lbs/gal (5.02%)

**Section 10. Stability and Reactivity**

<b>Stability and Reactivity</b>	The product is stable.
<b>Incompatibility</b>	Keep away from heat, sparks and flame. Reactive or incompatible with the following materials: oxidizing materials.
<b>Hazardous Polymerization</b>	Will not occur.
<b>Hazardous Decomposition Products</b>	carbon oxides (CO, CO <sub>2</sub> )

**Section 11. Toxicological Information****Acute Toxicity**

Product/ingredient name	Result	Species	Dose	Exposure
Diethylene Glycol Monobutyl Ether	LD50 Dermal	Rabbit	2700 mg/kg	-
	LD50 Oral	Rat	5660 mg/kg	-
	LD50 Oral	Mouse	2400 mg/kg	-
Tetrasodium Ethylenediamine Tetraacetate Quaternary Ammonium Chlorides	LD50 Oral	Rat	4100 mg/kg	-
	LD50 Dermal	Rabbit	>2000 mg/kg	-
	LD50 Oral	Rat	>500 mg/kg	-

**Section 12. Ecological Information**

**Environmental Effects** No known significant effects or critical hazards.

**Aquatic Ecotoxicity**

Product/ingredient name	Test	Result	Species	Exposure
Quaternary Ammonium Chlorides	-	Acute EC50 0.058 mg/L	Daphnia	48 hours
	-	Acute LC50 0.52 mg/L	Fish - Bluegill.	96 hours

**Section 13. Disposal Considerations****Waste Information**

Waste must be disposed of in accordance with federal, state and local environmental control regulations. Consult your local or regional authorities for additional information.

**Waste Stream** Non-hazardous waste

**Section 14. Transport Information**

Regulatory information	UN number	Proper shipping name	Classes	PG*	Label
<b>DOT Classification</b>	Not available.	Consumer commodity	ORM-D		
<b>IMDG Class</b>	Not determined.				

**NOTE:** DOT classification applies to most package sizes. For specific container size classifications or for size exceptions, refer to the Bill of Lading with your shipment.

PG\* : Packing group

**Section 15. Regulatory Information****U.S. Federal Regulations**

SARA 313 toxic chemical notification and release reporting:

**Product name**

Diethylene Glycol Monobutyl Ether

**Clean Water Act (CWA) 307:** No products were found.

**Clean Water Act (CWA) 311:** No products were found.

**Clean Air Act (CAA) 112 regulated toxic substances:** Diethylene Glycol Monobutyl Ether

All Components of this product are listed or exempt from listing on TSCA Inventory.

**State Regulations**

**California Prop 65** No products were found.

**Section 16. Other Information**

*To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.*

\*NOTE: Hazard Determination System (HDS) ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although these ratings are not required on MSDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HDS ratings are to be used with a fully implemented program to relay the meanings of this scale.