

# Material Safety Data Sheet



Zep Inc.  
1310 Seaboard Industrial Blvd.  
Atlanta, GA 30318  
1-877-793-7776

## Section 1. Chemical Product and Company Identification

**Product name** FOOD SERVICE FOAMING  
CHLORINATED CLEANER

**Product use** Detergent.

**Product code** R125

**Date of issue** 05/11/09 **Supersedes**

### Emergency Telephone Numbers

**For MSDS Information:**  
Compliance Services 1-877-793-7776

**For Medical Emergency**  
(877) 541-2016 Toll Free - All Calls Recorded

**For Transportation Emergency**  
CHEMTREC: (800) 424-9300 - All Calls Recorded  
In the District of Columbia (202) 483-7616

### Prepared By

Compliance Services  
1420 Seaboard Industrial Blvd.  
Atlanta, GA 30318

## Section 2. Hazards Identification

### Emergency overview

**DANGER !**

CAUSES EYE, SKIN & MUCOUS MEMBRANE BURNS.  
HARMFUL IF SWALLOWED.

\*Hazard Determination System (HDS): Health, Flammability, Reactivity



**NOTE:** MSDS data pertains to the product as delivered in the original shipping container(s). Risk of adverse effects are lessened by following all prescribed safety precautions, including the use of proper personal protective equipment.

### Acute Effects

#### Routes of Entry

Dermal contact. Eye contact. Inhalation.

- Eyes** Causes eye burns. Eye exposure may cause severe and permanent eye injury (blindness).
- Skin** Causes skin irritation. Prolonged exposure may result in skin burns and ulcerations. Skin inflammation is characterized by itching, scaling, reddening or, occasionally, blistering.
- Inhalation** Avoid inhalation of vapor, spray or mist. Over-exposure by inhalation may cause respiratory irritation. Liquid, spray or mist may produce tissue damage, particularly to mucous membranes of eyes, mouth and respiratory tract.
- Ingestion** Harmful if swallowed. May cause burns to mouth, throat, and stomach.

### Chronic effects

Repeated or prolonged contact with spray or mist may produce chronic eye irritation and severe skin irritation. Repeated or prolonged exposure to spray mist may produce respiratory tract irritation leading to frequent attacks of bronchial infection. Contains material which may cause damage to the following organs: kidneys, liver.

**Carcinogenicity** Ingredients: Not listed as carcinogen by OSHA, NTP or IARC.

**Additional Information:** See Toxicological Information (Section 11)

## Section 3. Composition/Information on Ingredients

### Name of Hazardous Ingredients

Name of Hazardous Ingredients	CAS number	% by Weight
SODIUM METASILICATE; silicic acid (H2-Si-O3) disodium salt; water glass	6834-92-0	5 - 15
Detergent Surfactant Blend	65143-89-7; 70191-76-3	5 - 15
SODIUM HYPOCHLORITE; hypochlorous acid, sodium salt; bleach	7681-52-9	1 - 5
N,N-DIMETHYL-DODECYLAMINE-N-OXIDE; n-dodecyl-dimethylamine oxide; lauramine oxide	1643-20-5	1 - 5

## Section 4. First Aid Measures

- Eye Contact** Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention immediately.
- Skin Contact** Flush affected skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing or wear gloves. Continue to rinse for at least 10 minutes. Wash clothing before reuse. Get medical attention if irritation develops.
- Inhalation** If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention immediately.

**Ingestion** Aspiration hazard if swallowed. Can enter lungs and cause damage. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. If affected person is conscious, give plenty of water to drink. Get medical attention immediately.

### Section 5. Fire Fighting Measures

National Fire Protection Association (U.S.A.)



**Flash Point** None.

**Flammable Limits** Not applicable

**Flammability** Non-combustible.

**Fire hazard** In a fire or if heated, a pressure increase will occur and the container may burst. May emit toxic fumes under fire conditions.

**Fire-Fighting Procedures** Use an extinguishing agent suitable for the surrounding fire. Fire-fighters should wear appropriate protective equipment. Do not release runoff from fire to sewers or waterways.

### Section 6. Accidental Release Measures

**Spill Clean up** Put on appropriate personal protective equipment (see section 8). Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble or absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

### Section 7. Handling and Storage

**Handling** Put on appropriate personal protective equipment (see section 8). Do not get in eyes, on skin or on clothing. DO NOT breathe vapors or spray mist. Use only with adequate ventilation. Do not ingest. Do not reuse container. Do not use with other products. Observe label precautions. Incompatible with aluminum and galvanized metal. Wash thoroughly after handling.

**Storage** Store away from incompatible materials. Keep container tightly closed and sealed until ready for use. Keep container in a cool, well-ventilated area. Store between the following temperatures: 40°F - 120°F (4.4°C - 49°C). Keep out of the reach of children.

### Section 8. Exposure Controls/Personal Protection

#### Product name

SODIUM METASILICATE; silicic acid (H<sub>2</sub>-Si-O<sub>3</sub>) disodium salt; water glass  
SODIUM HYPOCHLORITE; hypochlorous acid, sodium salt; bleach

#### Exposure limits

**Supplier Suggested (United States).**  
CEIL: 2 mg/m<sup>3</sup> Form:

**ACGIH TLV (United States).**  
TWA: 0.5 ppm 8 hour(s). Form: As Cl<sub>2</sub>  
STEL: 1 ppm 15 minute(s). Form: As Cl<sub>2</sub>

**OSHA PEL 1989 (United States).**  
TWA: 1 ppm 8 hour(s). Form: As Cl<sub>2</sub>  
STEL: 3 ppm 15 minute(s). Form: As Cl<sub>2</sub>

#### Personal Protective Equipment (PPE)

**Eyes** Chemical splash goggles or face shield.

**Body** Wear appropriate protective clothing to prevent skin contact.  
Recommended: Rubber gloves. Neoprene gloves. Synthetic apron.

**Respiratory** Use with adequate ventilation. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective occupational exposure limits.



### Section 9. Physical and Chemical Properties

**Physical State** Liquid. **Color** Clear. Yellow.

**pH** 12.5 - 13.0 **Odor** Chlorine. [Slight]

**Boiling Point** 100°C (212°F) **Vapor Pressure** Not determined.

**Specific Gravity** 1.13 **Vapor Density** Not determined.

**Solubility** Easily soluble in the following materials: cold water and hot water. **Evaporation Rate** 1 (Water = 1)

**VOC (Consumer)** 0 (g/l).

### Section 10. Stability and Reactivity

**Stability and Reactivity** The product is stable.

**Incompatibility** Slightly reactive or incompatible with the following materials: oxidizing materials and acids.

**Hazardous Polymerization** Will not occur.

**Hazardous Decomposition Products** May release dangerous gases (chlorine). carbon oxides (CO, CO<sub>2</sub>)

**Section 11. Toxicological Information****Acute Toxicity**

Product/ingredient name	Result	Species	Dose	Exposure
Detergent Surfactant Blend Sodium Metasilicate	LD50 Dermal	Rat	>2000 mg/kg	-
	LD50 Oral	Rat	1153 mg/kg	-
	LD50 Oral	Mouse	770 mg/kg	-
Sodium Hypochlorite	LD50 Dermal	Rabbit	>10000 mg/kg	-
	LD50 Oral	Rat	8910 mg/kg	-
	LC50 Inhalation Vapor	Rat	>10.5 mg/L	0.25 hours
n,n-Dimethyl-Dodecylamine-n-Oxide	LD50 Oral	Mouse	2700 mg/kg	-
	LD50 Oral	Rat	1518 mg/kg	-

**Section 12. Ecological Information****Aquatic Ecotoxicity**

Product/ingredient name	Test	Result	Species	Exposure
Sodium Hypochlorite	-	Acute LC50 5.9 mg/L	Fish - Minnows	96 hours

**Section 13. Disposal Considerations****Waste Information**

Waste must be disposed of in accordance with federal, state and local environmental control regulations. Consult your local or regional authorities for additional information.

**Waste Stream** Code: D002  
Classification: - [Hazardous waste]  
Origin: - [RCRA waste.]

**Section 14. Transport Information**

Regulatory information	UN number	Proper shipping name	Classes	PG*	Label
<b>DOT Classification</b>	Not regulated.	Not a DOT controlled material (United States).			
<b>IMDG Class</b>	Not determined.				

**NOTE:** DOT classification applies to most package sizes. For specific container size classifications or for size exceptions, refer to the Bill of Lading with your shipment.

PG\* : Packing group

**Section 15. Regulatory Information****U.S. Federal Regulations**

SARA 313 toxic chemical notification and release reporting:

No products were found.

**Clean Water Act (CWA) 307:** No products were found.

**Clean Water Act (CWA) 311:** Sodium Hypochlorite (RQ 100 lbs)

**Clean Air Act (CAA) 112 regulated toxic substances:** No products were found.

All Components of this product are listed or exempt from listing on TSCA Inventory.

**State Regulations**

**California Prop 65** No products were found.

**Section 16. Other Information**

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

\*NOTE: Hazard Determination System (HDS) ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although these ratings are not required on MSDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HDS ratings are to be used with a fully implemented program to relay the meanings of this scale.